

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 1/(14)

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

MOL Polimet ME 4 environmentally compatible superfinishing oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: environmentally compatible superfinishing oil for industrial use.

Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft.

Tel: +36 80 201 296

E-mail: EBKHelpdesk@MOL.hu

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 2/(14)

2.2 Label elements

Product identification: Trade name: MOL Polimet ME 4 environmentally compatible

superfinishing oil

Hazardous components: Destillates, (petroleum), heavy hydro cracked

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03%

aromatics

Distillates (petroleum), solvent-dewaxed light paraffinic

GHS Pictogram:

Signal word: **Danger**

Hazard statement:

H304 May be fatal if swallowed and enters airways.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response:

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Do NOT induce vomiting.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: not necessary (not distribution for population).

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 3/(14)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Refined mineral oil containing natural ester and additives (corrosion-

inhibitor and antioxidant and chlorine-free EP/AW agents).

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Destillates, (petroleum), heavy hydro cracked REACH Registr. Nr.: 01-2119486951-26	265-077-7	64741-76-0	Asp. Tox. 1 (Note L)	H304	max.95
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics REACH Registr. Nr.: 01-2119827000-58	934-956-3	-	Asp. Tox. 1 (Note N)	Н304	max.85
Distillates (petroleum), solvent-dewaxed light paraffinic REACH Registr. Nr: 01-2119480132-48	265-159-2	64742-56-9	Asp. Tox. 1 (Note L)	Н304	max.15
2,6-di-tert-butyl-p- cresol REACH Registr. Nr.: 01-2119555270-46	204-881-4	128-37-0	Aquatic Acute 1 Aquatic Chronic 1	H400 (M=1) H410 (M=1)	max.0.2

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class

Note N:

The harmonised classification as a carcinogen applies unless the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen, in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 4/(14)

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain

medical attention.

Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation,

get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation,

get medical attention.

Ingestion: Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Inhalation of vapours, mists/aerosol may irritate respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed If swallowed, seek medical advice immediately.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and other toxic gases can be formed.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 5/(14)

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by

pumping. Contain the rest or small quantities with sand, earth or other suitable

absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with flammable materials.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: no data



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 6/(14)

7.2 Conditions for safe storage, including any incompatibilities

Keep general measures applied for normal storage of flammable materials.

Store in dry, well-ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C.

7.3 Specific end use(s)

Environmentally compatible superfinishing oil.

SECTION 8 Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH). Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures:

Adequate ventilation.

Personal protection:

(a) Eye/face protection Where splashing is possible, wear safety glasses (EN 166).

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time 480 min)

(e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Under normal conditions not required. In case of exceeded

exposure-limits respiratory protection with particle-filter is

recommended.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 7/(14)

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state: liquid

b) Colour: reddish-brown, clear

c) Odour: characteristic, petroleum odour

d) Melting point/freezing point (Pour point) (ISO 3016): typ. -39°C

e) Boiling point or initial boiling point and boiling range

(DIN 51356): not available

f) Flammability: combustible

g) Lower and upper explosion limit: not explosive h) Flash point (COC) (EN ISO 2592): typ. 146°C

i) Auto-ignition temperature: not availablej) Decomposition temperature: not available

k) pH: not applicable

l) Kinematic viscosity (EN ISO 3104:1996)

at 40°C: typ. 5.1 mm²/s at 100°C not available

m) Solubility

Solubility in water: practically insoluble in water

Solubility in other solvents: gasoline, kerosene, toluene, etc.

n) Partition coefficient n-octanol/water (log value): not available o) Vapour pressure at 20°C: negligible

p) Density and/or relative density at 15°C (DIN EN ISO

12185): 0.863-0.877 g/cm³
Relative vapour density: not available

q) Relative vapour density: not available r) Particle characteristics: not available

9.2 Other information

Oxidizing properties: not oxidize

SECTION 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 8/(14)

SECTION 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral: LD_{50} (rat) > 2000 mg/kg (based on components) Dermal: LD_{50} (rabbit) > 2000 mg/kg (based on components)

Components:

Destillates, (petroleum), heavy hydro cracked (CAS: 64741-76-0)

Oral: LD₅₀ (rat) > 5000 mg/kg(OECD TG 401) > 2000 mg/kgDermal: LD₅₀ (rabbit) (OECD TG 402) Inhalation: LC_{50} (rat) $> 5000 \text{ mg/m}^3$ (OECD TG 403) Inhalation: NOAEL $> 220 \text{ mg/m}^3$ (OECD 412)

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (EC: 934-956-3)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Oral: LD_{50} (rat) > 5000 mg/kg (Literature data) Dermal: LD_{50} (rabbit) > 2000 mg/kg (Literature data) Inhalation: LC_{50} (rat) > 5.53 mg/L (4 h) (Literature data)

2,6-di-tert-butyl-p-cresol (CAS: 128-37-0)

Oral: LD_{50} (rat) > 5000 mg/kg (literature data) Dermal: LD_{50} (rabbit) > 5000 mg/kg (literature data)

Skin corrosion/irritation:

Serious eye damage/irritation:
Respiratory or skin sensitisation:
Germ cell mutagenicity:
Carcinogenicity:
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Aspiration hazard: May be fatal if swallowed and enters airways.

11.2 Information on other hazards

No data.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

MOL Polimet ME 4 environmentally compatible superfinishing oil Trade name:

Latest revision: 22, 04, 2022 Version: 7 Date of issue: 20, 06, 2007 Page: 9/(14)

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Components:

Destillates, (petroleum), heavy hydro cracked (CAS: 64741-76-0)

Fish: 96 h LL_{50} > 100 mg/LInvertebrates: EL_{50} $> 10000 \, \text{mg/L}$ 48 h Fish: NOEL

 $\geq 100 \text{ mg/L}$ (OECD 203) (OECD 202) Invertebrates: NOEL $\geq 1000 \text{ mg/L}$ 72 h (OECD 201) Algae: NOEL $\geq 100 \text{ mg/L}$

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (EC: 934-956-3)

Fish: > 1028 mg/L 96 h LC_{50}

Daphnia (Acartia tonsa): EC_{50} > 3193 mg/L48 h (ISO 14669) Algae (Skeletonema costatum): EC_{50} $> 10000 \, \text{mg/L}$ 72 h (ISO 10253)

Distillates (petroleum), solvent-dewaxed light paraffinic (CAS: 64742-56-9)

Fish: > 100 mg/L LC_{50} Daphnia: EC_{50} > 100 mg/LOther aquatic organisms: ErC_{50} > 100 mg/L**NOEC** Algae: > 1 mg/L

2,6-di-tert-butyl-p-cresol (CAS: 128-37-0)

Fish (Danio rerio): LC_{50} 96 h > 0.57mg/L Daphnia (Daphnia magna): mg/L48 h EC_{50} > 0.17Daphnia (Daphnia magna): **NOEC** > 0.07mg/L 21 days Algae (Desmodesmus subspicatus): > 0.42 mg/L 72 h IC_{50}

12.2 Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

Hydrocarbons, C15-C20, n-alkanes. isoalkanes, cyclics, < 0.03% aromatics

(EC: 934-956-3) 74% (28 days, OECD 306)

2,6-di-tert-butyl-p-cresol (CAS: 128-37-0) 30% (MITI-Test II); 4.5% (OECD 301 C)

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil: Absorbs in soil. Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment The product does not contain any PBT or vPvB

substance according to annex XIII of regulation (EC)

1907/2006, at a concentration of 0.1% or more.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 10/(14)

12.6 Endocrine disrupting properties

The mixture does not contain any substance with

endocrine disrupting properties, at a concentration of

0.1% or more.

12.7 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Large spills may be hazardous to the environment.

Spills may form a film on water surfaces causing

impaired oxygen transfer.

Water hazard class (German): WGK 1 (Classification by AwSV)

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 12 01 07*

Mineral-based machining oils free of halogens (except emulsions and solutions).

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 11/(14)

SECTION 14 Transport information

Land transport:

Road/Railway ADR/RID: Not classified.

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):
14.4. Packing group:

14.5. Environmental hazards:
14.6. Special precautions for user:
Not classified.
Not classified.

Not classified.
Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008. Seveso category: not classified.

15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 12/(14)

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008

(CLP)

Asp. Tox. 1 H304 calculated method

The full text of each relevant H-phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Asp. Tox. 1 Aspiration hazard Category 1

Aquatic Acute 1 Hazardous to the aquatic environment, Acute Category 1 Hazardous to the aquatic environment, Chronic Category 1

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chemical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Chemicals Agency
Ecx Effective Concentration x%

Edx Effective Dose x%

ELINCS European List of Notified Chemical Substances ErC50 EC50 in terms of reduction of growth rate;

ES Exposure Scenario

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC $\,$ MOL-LUB $\,$ Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 13/(14)

LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	Substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
3	Composition/information on ingredients	02.08.2013	2
9	Physical and chemical properties		
1-16	Regulatory information, other corrections		
	Revision modification according to 453/2010/EC and 1272/2008		
1	Details of the supplier of the safety data sheet, Responsible for SDS	22. 02. 2016	3
3	Composition/information on ingredients		
1-16	Other corrections, revision modification according to 2015/830 /EU		
3	Composition/information on ingredients	07. 12. 2016	4
9	Physical and chemical properties		
2.2	Label elements	05.11.2018	5
3	Composition/information on ingredients		
9	Physical and chemical properties		
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	07. 12. 2021	6



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC $\,$ MOL-LUB $\,$ Ltd.

Trade name: MOL Polimet ME 4 environmentally compatible superfinishing oil

Version: 7 Latest revision: 22. 04. 2022 Date of issue: 20. 06. 2007 Page: 14/(14)

Revision Indicators:

Section	Subject of change	Date	Version
2.2 3 11 12	Label elements Composition/information on ingredients Toxicological information Ecological information Other corrections	22. 04. 2022	7